

General Plan Safety Element Assessment

Board of Forestry and Fire Protection



Fullerton 2024

Contents

| | |
|--|----|
| Purpose and Background | 1 |
| Methodology for Review and Recommendations..... | 2 |
| General Plan Safety Element Assessment | 3 |
| Background Information Summary | 3 |
| Goals, Policies, Objectives, and Feasible Implementation Measures..... | 4 |
| Section 1 Avoiding or minimizing the wildfire hazards associated with new uses of land | 5 |
| Section 2 Develop adequate infrastructure if a new development is located in SRAs or VHFHSZs | 7 |
| Section 3 Working cooperatively with public agencies responsible for fire protection | 8 |
| Sample Safety Element Recommendations | 10 |
| A. Maps, Plans and Historical Information | 10 |
| B. Land Use | 10 |
| C. Fuel Modification | 10 |
| D. Access..... | 11 |
| E. Fire Protection | 11 |
| Fire Hazard Planning in Other Elements of the General Plan..... | 12 |
| Land Use Element | 12 |
| Housing Element | 12 |
| Open Space and Conservation Elements..... | 12 |
| Circulation Element..... | 12 |

Purpose and Background

Upon the next revision of the housing element on or after January 1, 2014, the safety element is required to be reviewed and updated as necessary to address the risk of fire for land classified as state responsibility areas and land classified as very high fire hazard severity zones. (Gov. Code, § 65302, subd. (g)(3).)

The safety element is required to include:

- Fire hazard severity zone maps available from the Department of Forestry and Fire Protection.
- Any historical data on wildfires available from local agencies or a reference to where the data can be found.
- Information about wildfire hazard areas that may be available from the United States Geological Survey.
- The general location and distribution of existing and planned uses of land in very high fire hazard severity zones (VHFHSZs) and in state responsibility areas (SRAs), including structures, roads, utilities, and essential public facilities. The location and distribution of planned uses of land shall not require defensible space compliance measures required by state law or local ordinance to occur on publicly owned lands or open space designations of homeowner associations.
- The local, state, and federal agencies with responsibility for fire protection, including special districts and local offices of emergency services. (Gov. Code, § 65302, subd. (g)(3)(A).)

Based on that information, the safety element shall include goals, policies, and objectives that protect the community from the unreasonable risk of wildfire. (Gov. Code, § 65302, subd. (g)(3)(B).) To carry out those goals, policies, and objectives, feasible implementation measures shall be included in the safety element, which include but are not limited to:

- Avoiding or minimizing the wildfire hazards associated with new uses of land.
- Locating, when feasible, new essential public facilities outside of high fire risk areas, including, but not limited to, hospitals and health care facilities, emergency shelters, emergency command centers, and emergency communications facilities, or identifying construction methods or other methods to minimize damage if these facilities are located in the SRA or VHFHSZ.
- Designing adequate infrastructure if a new development is located in the SRA or VHFHSZ, including safe access for emergency response vehicles, visible street signs, and water supplies for structural fire suppression.
- Working cooperatively with public agencies with responsibility for fire protection. (Gov. Code, § 65302, subd. (g)(3)(C).)

The safety element shall also attach or reference any fire safety plans or other documents adopted by the city or county that fulfill the goals and objectives or contains the information required above. (Gov. Code, § 65302, subd. (g)(3)(D).) This might include Local Hazard Mitigation Plans, Unit Fire Plans, Community Wildfire Protection Plans, or other plans.

There are several reference documents developed by state agencies to assist local jurisdictions in updating their safety elements to include wildfire safety. The Fire Hazard Planning, General Plan Technical Advice Series from the Governor's Office of Planning and Research (OPR), referenced in Government Code section 65302, subdivision (g)(3) and available at

1400 Tenth Street
Sacramento, CA 95814
Phone: (916) 322-2318

The Technical Advice Series is also available from the OPR website ([Technical Advice Series link](#))*.

The Technical Advice Series provides policy guidance, information resources, and fire hazard planning examples from around California that shall be considered by local jurisdictions when reviewing the safety element of its general plan.

The Board of Forestry and Fire Protection (Board) utilizes this Safety Element Assessment in the Board's review of safety elements under Government Code section 65302.5. At least 90 days prior to the adoption or amendment of their safety element, counties that contain SRAs and cities or counties that contain VHFHSZs shall submit their safety element to the Board. (Gov. Code, § 65302.5, subd. (b).) The Board shall review the safety element and respond to the city or county with its findings regarding the uses of land and policies in SRAs or VHFHSZs that will protect life, property, and natural resources from

unreasonable risks associated with wildfires, and the methods and strategies for wildfire risk reduction and prevention within SRAs or VHFHSZs. (Gov. Code, § 65302.5, subd. (b)(3).)

The CAL FIRE Land Use Planning team provides expert fire protection assistance to local jurisdictions statewide. Fire captains are available to work with cities and counties to revise their safety elements and enhance their strategic fire protection planning.

Methodology for Review and Recommendations

Utilizing staff from the CAL FIRE Land Use Planning team, the Board has established a standardized method to review the safety element of general plans. The methodology includes

- 1) reviewing the safety element for the requirements in Government Code section 65302, subdivision (g)(3)(A),
- 2) examining the safety element for goals, policies, objectives, and implementation measures that mitigate the wildfire risk in the planning area (Gov. Code, § 65302, subd. (g)(3)(B) & (C)), and
- 3) making recommendations for methods and strategies that would reduce the risk of wildfires (Gov. Code, § 65302.5, subd. (b)(3)(B)).

The safety element will be evaluated against the attached Assessment, which contains questions to determine if a safety element meets the fire safety planning requirements outlined in Government Code, section 65302. The reviewer will answer whether or not a submitted safety element addresses the required information, and will recommend changes to the safety element that will reduce the wildfire risk in the planning area. These recommended changes may come from the list of sample goals, policies, objectives, and implementation measures that is included in this document after the Assessment, or may be based on the reviewer's knowledge of the jurisdiction in question and their specific wildfire risk. By answering the questions in the Assessment, the reviewer will determine if the jurisdiction's safety element has adequately addressed and mitigated their wildfire risk. If it hasn't, any specific recommendations from the reviewer will assist the jurisdiction in revising the safety element so that it does.

Once completed, the Assessment should provide clear guidance to a city or county regarding any areas of deficiency in the safety element as well as specific goals, policies, objectives, and implementation measures the Board recommends adopting in order to mitigate or reduce the wildfire threat in the planning area.

General Plan Safety Element Assessment

| | | | |
|---------------------------------|------------------------------|---------------------------|---------------------------|
| Jurisdiction: City of Fullerton | Notes: FORMAL Review | CAL FIRE Unit:CSR | Date Received: 07/09/2024 |
| County: Orange | LUPP Reviewer: Jose Quintana | UNIT CONTACT: Joe Kennedy | Date Reviewed: 07/09/2024 |

BACKGROUND INFORMATION SUMMARY

The safety element must contain specific background information about fire hazards in each jurisdiction.

Instructions for this table: Indicate whether the safety element includes the specified information. If YES, indicate in the comments where that information can be found; if NO, provide recommendations to the jurisdiction regarding how best to include that information in their revised safety element.

| Required Information | Yes or No | Comments and Recommendations |
|--|-----------|--|
| Are Fire Hazard Severity Zones Identified? <i>CAL FIRE or Locally Adopted Maps</i> | Yes | Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement) – Exhibit 5 (pg. 11) |
| Is historical data on wildfires or a reference to where the data can be found, and information about wildfire hazard areas that may be available from the United States Geological Survey, included? | Yes | Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement) – (pg. 10) and Exhibit 6 (pg. 12) |
| Has the general location and distribution of existing and planned uses of land in very high fire hazard severity zones (VHFHSZs) and in state responsibility areas (SRAs), including structures, roads, utilities, and essential public facilities, been identified? | Yes | Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement) – text (pg. 10) and Exhibit 5 (pg. 11) 2020 Fullerton LHMP (pgs. 4-14 through 4-19). |
| Have local, state, and federal agencies with responsibility for fire protection, including special districts and local offices of emergency services, been identified? | Yes | Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement) – (pg. 1 and pg. 10). 2020 Fullerton LHMP – pg. 3-21 “Location and Extent” 1 st paragraph 2020 Fullerton LHMP – pg. 5-4, Table 5-1 Capabilities assessment, Fire Department, Orange County Fire Authority |
| Are other fire protection plans, such as Community Wildfire Protection Plans, Local Hazard Mitigation Plans, CAL FIRE Unit or Contract County Fire Plans, referenced or incorporated into the Safety Element? | Yes | Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement) – (pgs. 1-2). Fullerton SE Update (Revised Goals) , P12.7.2 [pg. 3]; P26.2.1 [pg. 12]; Fullerton Plan pg. 105, P22.8.1 - Adopt Neighborhood Plans: * Support projects, programs, policies and regulations to prepare local communities in Fullerton to prepare for the increased risks associated with climate change, such as Community Wildfire Preparedness |

| Required Information | Yes or No | Comments and Recommendations |
|---|-----------|---|
| | | Plans and evacuation plans in case of flood inundation or dam failure. |
| Are residential developments in fire hazard areas that do not have at least two emergency evacuation routes identified? | Yes | <p>Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement) – (pgs. 2-3), Exhibit 2 (pg. 5).</p> <p>Fullerton SE Update (Revised Goals) P13.5.1 Effective Evacuation (pg. 5) P 13.5.2 Minimum Emergency Access Points (pg. 5) P 13.5.3 Functionality in Hazardous Events (pg. 5) P13.5.5 Maintain Adequate Access (pg. 5) P13.5.6 Enhancing Evacuation (pg.6) P13.5.7 Emergency Evacuation Capacity (pg.6) P 19.1.1 Adequate Infrastructure and Capacity (pg. 9)</p> |
| Have evacuation routes and their capacity, safety, and viability under a range of emergency scenarios been identified? | Yes | <p>Fullerton SE Update (Revised Goals) P13.5.1 Effective Evacuation (pg. 5) P 13.5.2 Minimum Emergency Access Points (pg. 5) P 13.5.3 Functionality in Hazardous Events (pg. 5) P13.5.5 Maintain Adequate Access (pg. 5) P13.5.6 Enhancing Evacuation (pg.6) P13.5.7 Emergency Evacuation Capacity (pg.6)</p> |

| |
|---|
| Is there any other information in the Safety Element regarding fire hazards in SRAs or VHFHSZs? |
| <p>“N/A”</p> <p>If there is additional relevant info in the SE not captured in the assessment - “Yes” AND cite what it is and where to find it (Policy/program/figure/section title, p.#)</p> |

GOALS, POLICIES, OBJECTIVES, AND FEASIBLE IMPLEMENTATION MEASURES

The safety element must contain a set of goals, policies, and objectives based on the above information to protect the community from unreasonable risk of wildfire and implementation measures to accomplish those stated goals, policies, and objectives.

Instructions for this table: Critically examine the submitted safety element and determine if it is adequate to address the jurisdiction’s unique fire hazard. Answer YES or NO appropriately for each question below. If the recommendation is irrelevant or unrelated to the jurisdiction’s fire hazard, answer N/A. For NO, provide information in the Comments/Recommendations section to help the jurisdiction incorporate that change into their safety element revision. This information may utilize example recommendations from Sample Safety Element Recommendations and Fire Hazard Planning in Other Elements of the General Plan below, may indicate how high of a priority this recommendation is for a jurisdiction, or may include other jurisdiction-specific information or recommendations.

Section 1 Avoiding or minimizing the wildfire hazards associated with new uses of land

| Questions | Yes or No | Comments and Recommendations |
|---|-----------|--|
| Does local ordinance require development standards that meet or exceed title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 1-5 (commencing with section 1270) (<u>SRA Fire Safe Regulations</u>) and title 14, CCR, division 1.5, chapter 7, subchapter 3, article 3 (commencing with section 1299.01) (<u>Fire Hazard Reduction Around Buildings and Structures Regulations</u>) for SRAs and/or VHFHSZs? | Yes | <p>Fullerton Plan (pg. 243) Table 13 Short Term Action Plan, Action 26.4 “For projects within Wildfire Areas (see exhibit 17), require landscape and building plans to incorporate defensible space between natural vegetation and buildings, on site fire detection, and automatic sprinkler systems, non-combustible roofing materials (tile or concrete) and other appropriate mitigation measures.”</p> <p>Fullerton SE Update (Revised Goals) P12.2.1 Fire Risk Reduction Coordination (pg. 2) P 12.4.1 Street Name Regulations (pg. 2) P 12.4.2 Fire Regulations (pg. 2) P12.4.3 Fire Hazard Reduction (pg. 3)</p> |
| Are there goals and policies to avoid or minimize new residential development in VHFHSZs? | Yes | <p>Fullerton Plan pg. 112 P26.4 - Minimization of Development in High-Risk Areas P26.5 - Hazard Specific Development Regulations Fullerton SE Update (Revised Goals) P12.4.4 Fire Regulation Coordination (pg. 3) P26.2.2 Reduce Development Risk (pg. 12)</p> |
| Has fire safe design been incorporated into future development requirements? | Yes | <p>Fullerton SE Update (Revised Goals) P 18.15.1 Fire Hazard Avoidance (pg. 7) P 26.5 Hazard Specific Development Regulations (pg. 12) P26.6 Enhance Fire Protection (pg. 12)</p> |
| Are new essential public facilities located outside high fire risk areas, such as VHFHSZs, when feasible? | Yes | <p>Fullerton SE Update (Revised Goals) P13.11 Essential Facilities Location (pg. 6)</p> |
| Are there plans or actions identified to mitigate existing non-conforming development to contemporary fire safe standards, in terms of road standards and vegetative hazard? | Yes | <p>Fullerton SE Update (Revised Goals) P12.4.2 Fire Regulations (pg. 2) P 13.5.5 Maintain Adequate Access (pg. 5) A13.5.5(a) (pg.5-6) P 13.8.2 Retrofit Guidelines (pg. 6) P 13.8.2 (a) P 13.8.2 (b)</p> |
| Does the plan include policies to evaluate re-development after a large fire? | Yes | <p>Fullerton SE Update (Revised Goals) P 13.3 Disaster Hazard Reduction (pg. 5) P 13.4.1 Post-Disaster Recovery (pg. 5)</p> |

| Questions | Yes or No | Comments and Recommendations |
|--|-----------|--|
| Is fuel modification around homes and subdivisions required for new development in SRAs or VHFHSZs? | Yes | Fullerton SE Update (Revised Goals) P12.2.1 Fire Risk Reduction Coordination (pg. 2) P12.4.2 Fire Regulations (pg. 2) P12.14 Fire Protection Plans (pg. 4) P26.6 Enhance Fire Protection (pg. 12) |
| Are fire protection plans required for new development in VHFHSZs? | Yes | Fullerton SE Update (Revised Goals) P12.14 Fire Protection Plans (pg. 4) |
| Does the plan address long term maintenance of fire hazard reduction projects, including community fire breaks and private road and public road clearance? | Yes | Fullerton SE Update (Revised Goals) P12.2.1 Fire Risk Reduction Coordination (pg. 2) P12.4.2 Fire Regulations (pg. 2) |
| Is there adequate access (ingress, egress) to new development in VHFHSZs? | Yes | Fullerton SE Update (Revised Goals) P13.5.1 Effective Evacuation (pg. 5) P13.5.2 Minimum Emergency Access Points (pg. 5) P 13.5.6 Enhancing Evacuation (pg. 6) |
| Are minimum standards for evacuation of residential areas in VHFHSZs defined? | Yes | Fullerton SE Update (Revised Goals) P13.5.5 Maintain Adequate Access (pg. 5) |
| If areas exist with inadequate access/evacuation routes, are they identified? Are mitigation measures or improvement plans identified? | Yes | Fullerton SE Update (Revised Goals) A 13.5.5(a) (pgs. 5-6) P13.5.7 Emergency Evacuation Capacity (pg. 6) |
| Are there policies or programs promoting public outreach about defensible space or evacuation routes? Are there specific plans to reach at-risk populations? | Yes | Fullerton Plan P13.4, Disaster Risk Reduction (pg. 74) P13.5, Community Emergency Preparedness (pg. 74) P13.10, Community Education on Emergency Preparedness (pg. 75) P18.3 Opportunities for Community Involvement (pg. 94) Fullerton SE Update (Revised Goals) P 12.3.1 Natural Hazards Education (pg. 2) P12.3.2 Fire Risk Reduction Education (pg. 2) P18.11.1 Fire Hazard Avoidance (pg. 7) A18.11.1(a) (pg. 7) |
| Does the plan identify future water supply for fire suppression needs? | Yes | Fullerton SE Update (Revised Goals) P12.4.2 Fire Regulations (pg. 2) P19.4.1 Water Provider Coordination (pg. 9) |
| Does new development have adequate fire protection? | Yes | Fullerton Plan P13.2, Adequate Resources for Emergencies (pg. 74) Fullerton SE Update (Revised Goals) P12.7.3 Code Compliance (pg. 3) A13.2(a) (pg. 5) P26.2 Adequate Emergency Response Infrastructure (pg. 12) |

| Questions | Yes or No | Comments and Recommendations |
|-----------|-----------|--|
| | | P26.6 Enhance Fire Protection (pg. 12) |

Section 2 Develop adequate infrastructure if a new development is located in SRAs or VHFHSZs.

| Does the plan identify adequate infrastructure for new development related to: | Yes or No | Comments and Recommendations |
|--|-----------|--|
| Water supply and fire flow? | Yes | Fullerton SE Update (Revised Goals) P 19.1.1 Adequate Infrastructure and Capacity (pg. 9) P19.4 Adequate Supply (pg. 9) P 19.4.1 Water Provider Coordination (pg. 9) |
| Location of anticipated water supply? | Yes | Fullerton SE Update (Revised Goals) P 19.1.1 Adequate Infrastructure and Capacity (pg. 9) P19.4 Adequate Supply (pg. 9) P 19.4.1 Water Provider Coordination (pg. 9) P19.7 Sustainable Water Practices in New Development |
| Maintenance and long-term integrity of water supplies? | Yes | Fullerton SE Update (Revised Goals) P19.1 Agency Coordination for Water Supplies P 19.1.1 Adequate Infrastructure and Capacity (pg. 9) P19.4 Adequate Supply (pg. 9) P 19.4.1 Water Provider Coordination (pg. 9) P19.7 Sustainable Water Practices in New Development |
| Evacuation and emergency vehicle access? | Yes | Fullerton SE Update (Revised Goals) P13.5.1 Effective Evacuation (pg. 5) P13.5.2 Minimum Emergency Access Points (pg. 5) P13.5.5 Maintain Adequate Access (pg. 5) <i>A13.5.5(a) (pg. 5)</i> <i>P13.5.6 Enhancing Evacuation (pg. 6)</i> <i>P13.5.7 Emergency Evacuation Capacity (pg.7)</i> |
| Fuel modification and defensible space? | Yes | Fullerton SE Update (Revised Goals) P12.2.1 Fire Risk Reduction Coordination (pg. 2) P12.3.2 Fire Risk Reduction Education (pg. 2) P12.4.2 Fire Regulations (pg. 2) <i>A12.4.3(a) (pg. 3)</i> P 26.2.2 Reduce Development Risk (pg. 12) Fullerton Plan |

| Does the plan identify adequate infrastructure for new development related to: | Yes or No | Comments and Recommendations |
|---|-----------|--|
| | | P24.11.1 Manage Wildfire Areas (pg. 111) |
| Vegetation clearance maintenance on public and private roads? | Yes | Fullerton Plan P24.11.1 Manage Wildfire Areas (pg. 111) Fullerton SE Update (Revised Goals) P12.2.1 Fire Risk Reduction Coordination (pg. 2) A12.4.3(a) (pg 3) A12.4.4(a) (pg. 3) |
| Visible home and street addressing and signage? | Yes | Fullerton SE Update (Revised Goals) P12.4.1 Street Name Regulations (pg. 2) P12.4.2 Fire Regulations (pg. 2) |
| Community fire breaks? Is there a discussion of how those fire breaks will be maintained? | Yes | Fullerton SE Update (Revised Goals) P12.2.1 Fire Risk Reduction Coordination A12.4.3(a) (pg. 3) |

Section 3 Working cooperatively with public agencies responsible for fire protection.

| Question | Yes or No | Comments and Recommendations |
|---|-----------|--|
| Is there a map or description of existing emergency service facilities and areas lacking service, specifically noting any areas in SRAs or VHFHSZs? | Yes | Fullerton Plan SE, pg. 175, Exhibit 15: Police and Fire Protection Facilities |
| Does the plan include an assessment and projection of future emergency service needs? | Yes | Fullerton SE Update (Revised Goals) P7.1 Balance Decision Making (pg. 1) P7.2 Housing Growth (pg. 1) P12.1.1 Encourage Regional Cooperation (pg. 2) A12.12.1(a) (pg. 4) A12.12.1(b) (pg. 4) P13.2 Adequate Resources for Emergencies (pg. 5) P13.7 New Technologies for Fire and Police Services (pg. 6) |
| Are goals or standards for emergency services training described? | Yes | Fullerton SE Update (Revised Goals) P12.12.2 Maintenance and Training (pg. 4) P13.1 Inter-City Coordination (pg. 5) P13.8 Staff Training on Structural Risks (pg. 6) |
| Does the plan outline inter-agency preparedness coordination and mutual aid multi-agency agreements? | Yes | Fullerton SE Update (Revised Goals) P13.1 Inter-City Coordination (pg. 5) P13.6 Inter-Department Coordination (pg. 6) P13.6.1 Mutual Aid Agreements (pg. 6) |

Compendium of Documents

2020 Local Hazard Mitigation Plan

Fullerton Plan (General Plan) Updated in 2020 [some of the policies identified in this plan may also be located on the Fullerton SE Update (Revised Goals) document].

Fullerton SE Update (Revised Goals)

Fullerton SE Update (Appendix X – Fullerton Safety Element Supplement)

Sample Safety Element Recommendations

These are examples of specific policies, objectives, or implementation measures that may be used to meet the intent of Government Code sections 65302, subdivision (g)(3) and 65302.5, subdivision (b). Safety element reviewers may make recommendations that are not included here.

A. MAPS, PLANS AND HISTORICAL INFORMATION

1. Include or reference CAL FIRE Fire Hazard Severity Zone maps or locally adopted wildfire hazard zones.
2. Include or reference the location of historical information on wildfires in the planning area.
3. Include a map or description of the location of existing and planned land uses in SRAs and VHFHSZs, particularly habitable structures, roads, utilities, and essential public facilities.
4. Identify or reference a fire plan that is relevant to the geographic scope of the general plan, including the Unit/Contract County Fire Plan, Local Hazard Mitigation Plan, and any applicable Community Wildfire Protection Plans.
5. Align the goals, policies, objectives, and implementation measures for fire hazard mitigation in the safety element with those in existing fire plans, or make plans to update fire plans to match the safety element.
6. Create a fire plan for the planning area.

B. LAND USE

1. Develop fire safe development codes to use as standards for fire protection for new development in SRAs or VHFHSZs that meet or exceed the statewide minimums in the SRA Fire Safe Regulations.
2. Adopt and have certified by the Board of Forestry and Fire Protection local ordinances which meet or exceed the minimum statewide standards in the SRA Fire Safe Regulations.
3. Identify existing development that do not meet or exceed the SRA Fire Safe Regulations or certified local ordinances.
4. Develop mitigation measures for existing development that does not meet or exceed the SRA Fire Safe Regulations or certified local ordinances or identify a policy to do so.

C. FUEL MODIFICATION

1. Develop a policy to communicate vegetation clearance requirements to seasonal, absent, or vacation rental owners.
2. Identify a policy for the ongoing maintenance of vegetation clearance on public and private roads.
3. Include fuel breaks in the layout/siting of subdivisions.
4. Identify a policy for the ongoing maintenance of existing or proposed fuel breaks.
5. Identify and/or map existing development that does not conform to current state and/or locally adopted fire safety standards for access, water supply and fire flow, signing, and vegetation clearance in SRAs or VHFHSZs.
6. Identify plans and actions for existing non-conforming development to be improved or mitigated to meet current state and/or locally adopted fire safety standards for access, water supply and fire flow, signing, and vegetation clearance.

D. ACCESS

1. Develop a policy that approval of parcel maps and tentative maps in SRAs or VHFHSZs is conditional based on meeting the SRA Fire Safe Regulations and the Fire Hazard Reduction Around Buildings and Structures Regulations, particularly those regarding road standards for ingress, egress, and fire equipment access. (See Gov. Code, § 66474.02.)
2. Develop a policy that development will be prioritized in areas with an adequate road network and associated infrastructure.
3. Identify multi-family housing, group homes, or other community housing in SRAs or VHFHSZs and develop a policy to create evacuation or shelter in place plans.
4. Include a policy to develop pre-plans for fire risk areas that address civilian evacuation and to effectively communicate those plans.
5. Identify road networks in SRAs or VHFHSZs that do not meet title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 2 and 3 (commencing with section 1273.00) or certified local ordinance and develop a policy to examine possible mitigations.

E. FIRE PROTECTION

1. Develop a policy that development will be prioritized in areas with adequate water supply infrastructure.
2. Plan for the ongoing maintenance and long-term integrity of planned and existing water supply infrastructure.
3. Map existing emergency service facilities and note any areas lacking service, especially in SRAs or VHFHSZs.
4. Project future emergency service needs for the planned land uses.
5. Include information about emergency service trainings or standards and plans to meet or maintain them.
6. Include information about inter-agency preparedness coordination or mutual aid agreements.

Fire Hazard Planning in Other Elements of the General Plan

When updating the General Plan, here are some ways to incorporate fire hazard planning into other elements. Wildfire safety is best accomplished by holistic, strategic fire planning that takes advantage of opportunities to align priorities and implementation measures within and across plans.

LAND USE ELEMENT

Goals and policies include mitigation of fire hazard for future development or limit development in very high fire hazard severity zones.

Disclose wildland urban-interface hazards, including fire hazard severity zones, and/or other vulnerable areas as determined by CAL FIRE or local fire agency.

Design and locate new development to provide adequate infrastructure for the safe ingress of emergency response vehicles and simultaneously allow citizen egress during emergencies.

Describe or map any Firewise Communities or other fire safe communities as determined by the National Fire Protection Association, Fire Safe Council, or other organization.

HOUSING ELEMENT

Incorporation of current fire safe building codes.

Identify and mitigate substandard fire safe housing and neighborhoods relative to fire hazard severity zones.

Consider diverse occupancies and their effects on wildfire protection (group housing, seasonal populations, transit-dependent, etc).

OPEN SPACE AND CONSERVATION ELEMENTS

Identify critical natural resource values relative to fire hazard severity zones.

Include resource management activities to enhance protection of open space and natural resource values.

Integrate open space into fire safety planning and effectiveness.

Mitigation for unique pest, disease and other forest health issues leading to hazardous situations.

CIRCULATION ELEMENT

Provide adequate access to very high fire hazard severity zones.

Develop standards for evacuation of residential areas in very high fire hazard severity zones.

Incorporate a policy that provides for a fuel reduction maintenance program along roadways.